J. Field Ornithol., 72(4):611–612

Index to Volume 72

Compiled by Mary Bomberger Brown

Three indices follow: an author index, a subject/geographic index, and a taxonomic index of bird species mentioned in the volume.

Author Index

Al-Bowardi, M. A., 236–243
Alonso, J. A., 504–508
Alonso, J. C., 504–508
Alsworth, L., III., 537–546
Alsworth, L. A., 537–546
Baker, A. J., 86–95
Baker, P. E., 12–21
Baroni, A., 22–29
Barrett, R. T., 30–42
Barron, M., 305–311
Bart, J., 521–526
Battaglia, D., 521–526
Bennett, A. J., 537–546
Berg, K. S., 258–266
Berlin, K. E., 12–21
Bertellotti, M., 338–348
Bêty, J., 573–586
Bibles, B. D., 66–71
Blanco, G., 338–348
Bleier, W. J., 439–447
Boal, C. W., 66–71
Bosakowski, T., 465–467
Bradley, J. E., 556–572
Bragin, E. A., 236–243
Brooks, M. A., 404–411
Brown, C. R., 113–123
Brown, M. B., 113–123
Brubaker, D. L., 527–536
Brubaker, K. S., 527–536
Bull, E. L., 131–135
Burke, D., 433–438
Burns, J. G., 399–403
Burton, N., 106–112
Casaux, R., 22–29
Charlebois, D., 211–220
Conry, P. J., 267–275
Cooper, R. J., 291–304
Crawford, R. L., 380–388
Cristol, D. A., 404–411
Cyr, A., 547–555
Davis, S. K., 195–210
de la Cueva, H., 509–520
De Santo, T. L., 136–149
DeCecco, J. A., 291–304
DeGraaf, R. M., 124–130
DeLong, J. P., 349–364
Desante, D. F., 228–235
Doresky, J., 305–311
Duncan, R. A., 62–65
Dunn, E. H., 419–432, 547–555
Eddleman, W. R., 170–177
Elliott, J. E., 150–159
Engstrom, R. T., 380–388
Ensign, J. T. 389–398
Etterson, M. A., 458–461
Favero, M., 22–29
Fernández, G., 509–520
Fox, N. C., 236–243
Freifeld, H. B., 72–85
Gale, G. A., 291–304
Gauthier, G., 282–290, 573–586
Gessaman, J. A., 349–364
Giaccardi, M., 338–348
Gonzalez, P. M., 86–95
Gorney, E., 96–105
Haig, S. M., 160–169
Harmata, A. R., 389–398
Harmata, P. J., 389–398
Harrigan, B. C., 404–411
Hill, G. E., 412–418
Hockey, P. A. R., 49–61
Hodder, K. H., 236–243
Holmes, R. T., 369–379
Howery, M., 458–461
Jehl, J. R., Jr., 276–281
Johnson, K. M., 404–411
Johnson, O. W., 537–546
Johnson, P. M., 537–546
Joyce, E. M., 369–379
Kenward, R. E., 244–257
Kienholz, R. J., 537–546
Knadle, G. E., 527–536
Kostecke, R. M., 439–447
Kowalsky, J. R., 12–21
Lane, S. J., 504–508
Larivée, J., 547–555
Lee, N. M., 49–61
Lee, S. L., 150–159
Legare, M. L., 170–177
Leme, A., 221–228

Levin, A., 236–243
Linz, G. M., 439–447
Lowe, D. E., 404–411
Lowery, J. P., 404–411
Luginbuhl, J. M., 556–572
Maier, T. J., 124–130
Marks, J. S., 462–464, 468–469
Marshall, M. R., 291–304
Martin, C. A., 504–508
Marzluff, J. M., 556–572
McClain, W. R., 291–304
McGlothlin, J. W., 404–411
McGraw, K. J., 412–418
McMaster, D. G., 195–210
McNair, D. B., 485–503
Mennill, D. J., 327–337
Menu, S., 282–290
Monteiro, L. R., 62–65
Montopoli, G. J., 389–398
Morales, M. B., 504–508
Morgan, K., 305–311
Morgart, J. R., 537–546
Nol, E., 433–438
Nolan, P. M., 412–418
Nott, M. P., 228–235
Peterson, C. A., 150–159
Pfeffer, R. H., 236–243
Piersma, T., 86–95
Post, W., 485–503
Pratt, T. K., 12–21
Price, D. J., 86–95
Ragsdale, L., 305–311
Raphael, M. G., 556–572
Reed, A., 282–290
Restani, M., 389–398
Riddle, K. E., 236–243
Rimmer, C. C., 365–368
Robinson, T. R., 43–48
Robinson, W. D., 43–48
Sailer, J. K., 72–85
Sandvik, H., 30–42
Sanzenbacher, P. M., 160–169
Sasso, M. M., 404–411
Senner, N., 521–526
Siegel, R. B., 228–235
Sillett, T. S., 369–379
Silva, P., 22–29
Simon, J. C., 12–21
Sitters, H. P., 86–95
Skutch, A. F., 1–11
Smith, D. G., 465–467
Smith, S. A., 404–411
Steadman, D. W., 72–85
Stoehr, A. M., 412–418
Thomas, D. W., 211–220
Thompson, B. C., 527–536
Tietz, J. R., 365–368
Townsend, H., 305–311
VanderWerf, E. A., 448–457
Varland, D. E., 556–572
Vézina, F., 211–220
Walls, S. S., 236–243
Wardrop, S. L., 399–403
Warnock, N., 509–520
Watt, D. J., 236–243
West, M., 305–311
Wiles, G. J., 267–275
Willson, M. F., 136–149
Woolfenden, G. E., 62–65
Yasukawa, K., 106–112
Yom Tov, Y., 96–105
Yorio, P., 338–348
Zelenak, J. R., 389–398

Subject/Geographic Index

Abu Dhabi, 255
Africa, 103, 245
Alabama, 163, 164, 166, 412–418, 432, 485, 487, 491, 503
Alaska, 136–149, 510, 521–526, 537–546
Alberta, 164, 165, 195–210, 396, 397
Alexander Archipelago, 136–149
Amazonia, 221
Antarctica, 22–29
Arctic Circle, 161
Argentina, 86–95, 221, 338–348
Arizona, 66–71, 166, 171, 174–175, 351, 485–486, 487, 488, 489, 491, 493, 503
Arkansas, 166
Atlantic Ocean, 62–65
Austria, 245
Azores, 62–65
Azuay Province, 258–266
Baja California, 509–520
Baranof Island, 136–149
Barro Colorado Island, 46–47
Bermuda, 488, 502
Brazil, 221–227
breeding biology, 1–11, 30–42, 113–123, 170–177, 236–243, 258–266, 267–275, 305–311, 433–438, 462–464, 465–467, 468–469, 537–546
British Columbia, 150–159, 161, 163, 165, 166, 196, 516, 517
Bylot Island, 282–290, 573–586
California, 94, 124, 164, 165, 229, 276–281, 390, 393, 395, 396, 397, 485–486, 488, 491, 503, 510, 517, 518
Canada, 150–159, 160–169, 195–210, 212, 282–290, 370, 390, 392, 396, 397, 485–503, 567, 573–586
Caribbean, 161, 328
Catherine Island, 136–149
Central America, 336
coloniality, 30–42, 62–65, 113–123
Colorado, 163, 166, 396
Connecticut, 291–304, 492, 494
conservation and management, 160–169, 195–210, 228–235, 291–304, 439–447, 448–457, 547–555
Cook Islands, 455
Costa Rica, 1–11
Cuba, 494, 495
Delaware, 492
diet, 22–29, 49–61, 86–95, 150–159
distribution, 62–65, 72–85, 160–169, 195–210, 485–503, 509–520, 537–546, 547–555
diving, 22–29
Dry Tortugas, 488, 495
Dubai, 255
Ecuador, 258–266
egg
  hatchability, 113–123
  preservation, 124–130
England, 566
Esmeraldas Province, 258–266
Eurasia, 10
Europe, 504
Fiji, 79, 81
Florida, 62–65, 164, 170–177, 260, 380–388, 458–461, 485–486, 487, 488, 491, 493, 494, 495, 496, 503
foraging, 22–29, 49–61, 86–95, 150–159, 221–227, 258–266, 338–348, 458–461
Fraser River Delta, 150–159
Georgia, 164, 305–311, 370
Greater Antilles, 495
Gulf of Mexico, 62–65, 386
Hawaii, 12–21, 448–457, 537–546
Hawai'i Island, 449
Heard Island, 25
Hispaniola, 495
home range, 170–177
Hornoya Island, 30–42
Iberia, 504
Idaho, 163, 164, 165, 166, 396, 463
Illinois, 164, 165
incubation, 1–11, 369–379
India, 245
Indiana, 164, 236–243
Iowa, 164, 174
Isla de los Pajaros, 338–348
Israel, 96–105
Kaua'i Island, 449
Kazakhstan, 245
Kentucky, 164
Kenya, 51
La Perouse Bay, 288
life history, 1–11, 258–266
Louisiana, 64, 485–486, 487, 488, 491, 493, 501, 503
Macquarie Island, 25
Madrid Province, 504–508
Maine, 429
Manchuria, 245
Manitoba, 164, 195–210
Mariana Islands, 267, 271

Maryland, 164, 165
Massachusetts, 64, 124–130, 164
Mexico, 161, 327–337, 390, 393, 395, 396, 397, 486, 509–520
Michigan, 165, 166, 292, 370, 486, 491, 492, 494
Micronesia, 267–275
migration, 96–105, 389–398, 419–432, 485–503, 504–508, 509–520, 537–546
Minnesota, 165
Mississippi, 485, 491, 493, 503
Missouri, 164, 259, 435, 437
molt, 12–21, 96–105
Mono Lake, 276–281
Montana, 163, 164, 165, 166, 229, 389–98
morphology, 12–21, 276–281
mortality and disease, 131–135, 276–281, 380–388, 389–398, 439–447
Nebraska, 113–123, 164, 485–486, 488, 491, 493, 503
nest, 43–49, 124–130, 136–149, 170–177, 267–275, 369–379, 448–457, 462–464, 465–467, 468–469, 556–572
Nelson Island, 22–29
Nevada, 362
New Brunswick, 492
New England, 292
New Hampshire, 369–379
New Jersey, 166, 489, 491, 492, 494, 496, 502, 510
New Mexico, 351, 352, 360, 393, 395, 396, 463, 486, 487, 488, 501
New York, 164, 165, 171, 485–486, 491, 492, 496, 502
North America, 10, 124, 137, 146, 160–169, 255, 278, 293, 327, 336, 350, 395, 463, 517, 548, 563
North Carolina, 164, 485–486, 487, 488, 491, 492, 493, 496, 502
North Dakota, 280, 396
Norway, 30–42
Nova Scotia, 485, 488, 489, 491, 495, 502
Nunavut (formerly Northwest Territories), 282–290, 573–586
O'ahu Island (Oahu), 448–457, 538–539, 543, 544, 545
Oceania, 81
Ohio, 163, 164, 165, 166
Oklahoma, 165, 458–461, 486
Olympic Peninsula, 556–572
Ontario, 161, 164, 165, 419–432, 433–438, 486, 488, 491, 492, 493, 494, 496, 503
Oregon, 131–135, 165, 229, 280
Pacific Ocean, 64, 72–85
Palau Islands, 267–275
Panama, 1, 43–48, 517
Paraguay, 221
parental care, 1–11, 258–266, 412–418
Patagonia, 87, 338–348
Pennsylvania, 291–304
Peru, 510
Platte River, 113–123
plumage, 12–21, 96–105, 365–368
point counts, 228–235, 404–411
poisoning, 150–159, 439–447
population size, 160–169
Portugal, 63
predation, 30–42, 43–48, 86–95, 106–112, 124–130, 136–149, 448–457, 556–572, 573–586
Quebec, 164, 165, 211–220, 486, 491, 492, 493, 494, 547–555
recruitment, 131–135
reproductive success, 30–42, 43–48, 113–123, 136–149, 170–177, 305–311, 527–536, 573–586
Rhode Island, 486, 491, 492
Rio Negro Province, 86–95
Samoa, American, 79, 80
Samoa, Independent State of (= Western Samoa), 72–85
Sao Paulo State, 221–227
Saskatchewan, 164, 165, 195–210, 396
scavenging, 150–159
Siberia, 510
South Africa, 58, 103
South America, 327
South Carolina, 485–486, 491, 492, 493, 503
South Dakota, 439–447
South Georgia Island, 25
South Shetland Islands, 22–29
Spain, 504–508
Suriname, 510
survival, 131–135, 282–290, 389–398, 433–438, 521–526, 537–546, 573–586
techniques,
  aging, 12–21
  assessing reproductive success, 527–536
  banding, 62–65, 236–243, 282–290, 521–526
  broadcast surveys (vocalizations), 66–71
  checklist programs, 547–555
  determining body fat, 349–364
  determining body mass, 211–220, 419–432
  determining incubation patterns, 369–379
  determining prey size, 49–61
  egg preservation, 124–130
  point counts, 228–235, 404–411
  predator presentations, 399–403
  radio-tagging, 244–257
  sexing, 12–21
  survey techniques, 556–572
Tennessee, 164, 166, 494

Texas, 64, 164, 165, 390, 393, 395, 397, 485–486, 487, 488, 491, 493, 494, 495, 501–502
Tierra del Fuego, 87
Tonga, 79, 80
United Arab Emirates, 244–257
United States, 64, 160–169, 196, 205, 228–235, 291–304, 362, 370, 390, 392, 429, 462, 485–503, 557
Utah, 164, 165, 351
Venezuela, 94
Vermont, 165, 365–368
Virginia, 291–304, 404–411, 492
vocalizations, 66–71, 106–112, 327–337
Washington, 164, 165, 229, 556–572
West Indies, 161, 487, 493
West Virginia, 164, 165, 292, 301
Wisconsin, 107, 165, 370, 429, 528
Wyoming, 165
Yucatan Peninsula, 327–337

Taxonomic Index

Accipiter brevipes, 96–105
A. cooperii, 156,157, 349–364, 444
A. gentilis, 132, 146, 233, 254, 255
A. nisus, 94, 96–105, 402
A. striatus, 349–364, 444
Acridotheres fuscus, 78
A. tristis, 78
Aegolius funereus, 463
Agelaius phoeniceus, 106–112, 241, 242, 441, 442, 443, 551, 554
Akepa, *see Loxops coccineus*
Akiapolaau, *see Hemignathus munroi*
Alauahio
  Maui, see *Paroreomyza montana*
Ammodramus bairdii, 199, 200, 203, 205, 206–207
A. caudacutus, 382
A. leconteii, 200, 203, 205, 206–207
A. nelsoni, 382
A. savannarum, 199, 200, 203, 205, 206–207
Anas platyrhynchos, 152
A. strepera, 276–281
Antbird
  Bertoni's, see *Drymophila rubricollis*
  Dusky-tailed, see *Drymophila malura*
  Ferrugineous, see *Drymophila ferruginea*
  Ochre-rumped, see *Drymophila ochropyga*
Antshrike
  Slaty, see *Thamnophilus atrinucha*
Anthus spragueii, 205
Apapane, *see Himatione sanguinea*
Aplonis atrifusca, 77–78, 81, 82, 83, 84
A. tabuensis, 78, 81–82
Aquila heliaca, 253
Araçari
  Pale-mandibled, see *Pteroglossus erythropygius*
  Collared, see *Pteroglossus torquatus*
  Fiery-billed, see *Pteroglossus frantzii*
  Stripe-billed, see *Pteroglossus sanguineous*
Aramides cajanea, 45
Archilochus colubris, 550
Asio flammeus, 92–93
A. otus, 444, 463, 466, 468–469
Blackbird
  Red-winged, see *Agelaius phoeniceus*
  Yellow-headed, see *Xanthocephalus xanthocephalus*
Bluebird
  Eastern, see *Sialia sialis*
Bluethroat, see *Luscinia svecica*
Bobolink, see *Dolichonyx oryzivorus*
Bobwhite
  Northern, see *Colinus virginianus*
Bombycilla cedrorum, 118
Brachyramphus marmoratus, 233, 556–572
Brant
  Black, see *Branta bernicla nigricans*
Branta bernicla nigricans, 289
B. sandvicensis, 456
Bubo bubo, 253
B. virginianus, 66–71, 92–93, 109, 384, 386, 393, 442, 444, 445, 462–469
Bulbul
  Red-vented, see *Pycnonotus cafer*
  Red-whiskered, see *Pycnonotus jocosus*
Bunting
  Indigo, see *Passerina cyanea*
Bustard
  Great, see *Otis tarda*
Buteo buteo, 245, 254, 255
B. b. vulpinus, 96–105
B. jamaicensis, 154, 156, 442, 444
B. lagopus, 156
B. regalis, 389–398
Buzzard
  Steppe, see *Buteo buteo vulpinus*
Calcarius ornatus, 200, 203, 205, 206–207
Calidris alba, 362
C. alpina, 92, 93, 94, 518
C. canutus rufa, 86–95
C. ferruginea, 59
C. mauri, 509–520
C. minutus, 59
C. pusilla, 521–526
Carduelis tristis, 236–243
Carpodacus mexicanus, 412–418
Catbird
  Gray, see *Dumetella carolinensis*
Catharus fuscescens, 125, 422–423, 550
C. guttatus, 125, 422–423, 550
C. minimus, 382, 422–423
C. ustulatus, 422–423, 427, 550
Centrocercus urophasianus, 528
Certhia americana, 422–423
Chaetura pelagica, 550
Charadrius alexandrinus, 166
C. hiaticula, 59
C. melodus, 166
C. montanus, 166
C. vociferous, 160–169
Chasiempis sandwichensis, 448–457
C. s. ibidis, 448–457

Chen caerulescens atlantica, 282–290, 573–586
C. c. caerulescens, 288
Chickadee
Chestnut-backed, see *Parus rufescens*
Chicken, see *Gallus gallus*
Cinclus spp., 3
Circus aeruginosus, 96–105
C. cyaneus, 150–159, 442, 444
Cistothorus palustris, 10
Coccyzus americanus, 291, 297, 298
C. erythropthalmus, 291, 297, 298
C. spp., 295
Colaptes auratus, 422–423, 550
Colinus virginianus, 124, 175
Collocalia spodiopygia, 78, 80
Columba livia, 440, 441, 443
C. pretiosa, 44–45
Contopus cooperi, 233
C. virens, 422–423, 431, 550
Corvus brachyrhynchos, 110, 442, 444, 445, 463, 556–572
C. caurinus, 136–149, 150–159
C. corax, 31, 136–149, 556–572, 573–586
C. ossifragus, 384
Coturnicops noveboracensis, 174
Coturnix coturnix, 138
C. japonica, 125, 449, 450
C. spp., 124
Cowbird
Brown-headed, see *Molothrus ater*
Creeper
Brown, see *Certhia americana*
Hawaii, see *Oreomystis mana*
Crow
American, see *Corvus brachyrhynchos*
Fish, see *Corvus ossifragus*
Northwestern, see *Corvus caurinus*
Cuckoo
Black-billed, see *Coccyzus erythropthalmus*
Yellow-billed, see *Coccyzus americanus*
Curlew
Eurasian, see *Numenius arquata*
Cyanocorax morio, 46
Cyanocitta stelleri, 136–149, 556–572
Cyphorhinus phaeocephalus, 5, 45
Delichon urbica, 528
Dendroica caerulescens, 125, 369–379, 422–423, 435
D. castanea, 424–425
D. coronata, 382, 422–423, 550
D. discolor, 375, 376
D. fusca, 424–425, 550
D. kirtlandii, 375
D. magnolia, 419, 420, 422–423, 431–432, 550
D. occidentalis, 233
D. palmarum, 382, 424–425, 431
D. pensylvanica, 404–411, 422–423, 550
D. petechia, 327–337, 422–423, 431, 550, 554
D. p. aestiva, 327–337
D. p. aureola, 330
D. p. bryanti, 327–337
D. striata, 376, 424–425
D. tigrina, 422–423, 550
D. virens, 424–425, 550
Didunculus strigirostris, 72, 78, 79, 83
Dolichonyx oryzivorus, 551
Dove
Rock, see *Columba livia*
Drymophila ferruginea, 221–227
D. malura, 221–227
D. ochropyga, 221–227
D. rubricollis, 221–227
D. striata, 365–368, 376
Dryocopus pileatus, 131–135
Duck
Ruddy, see *Oxyura jamaicensis*
Ducula pacifica, 72, 78, 80, 83
Dumetella carolinensis, 382, 422–423, 550
Dunlin, see *Calidris alpina*
Eagle
Bald, see *Haliaeetus leucocephalus*
Imperial, see *Aquila heliaca*
Elanoides forficatus, 46
'Elepaio, see *Chasiempis sandwichensis*
O'ahu, see *Chasiempis sandwichensis ibidis*
Empidonax dificilis, 233
E. flaviventris, 422–423, 548, 550
E. minimus, 422–423, 550
Eremophila alpestris, 199, 200, 203, 205, 206–207
Falco cherrug, 244–257
F. columbarius, 251, 401
F. peregrinus, 93, 104, 251, 255, 402
F. sparverius, 458
F. subbuteo, 402
Falcon
Peregrine, see *Falco peregrinus*
Saker, see *Falco cherrug*
Fantail
Samoan, see *Rhipidura nebulosa*
Finch
House, see *Carpodacus mexicanus*
Zebra, see *Taeniopygia guttata*
Flicker
Northern, see *Colaptes auratus*
Flycatcher
Great Crested, see *Myiarchus crinitus*
Least, see *Empidonax minimus*
Olive-sided, see *Contopus cooperi*
Samoan, see *Myiagra albiventris*
Western, see *Empidonax dificilis*
Yellow-bellied, see *Empidonax flaviventris*

Forest-Falcon
Collared, see *Micrastur semitorquatus*
Foulehaio carunculata, 77–78, 82
Fratercula arctica, 39
Fruit-Dove
Many-colored, see *Philinopus perousii*
Purple-capped, see *Ptilinopus porphyraceus*
Fulmar, see *Fulmarus glacialis*
Fulmarus glacialis, 39
Gadwall, see *Anas strepera*
Gallicolumba stairi, 72, 78, 79, 83
Gallirallus philippensis, 72, 78, 79, 83
Gallus gallus, 78, 79, 559
Gavia immer, 233
Geothlypis trichas, 382–383, 424–425, 550
Gnatcatcher
Blue-gray, see *Polioptila caerulea*
Golden-Plover
Pacific, see *Pluvialis fulva*
Goose
Greater Snow, see *Chen caerulescens atlantica*
Hawaiian, see *Branta sandvicensis*
Lesser, see *Chen caerulescens caerulescens*
Godwit
Bar-tailed, see *Limosa lapponica*
Goldfinch
American, see *Carduelis tristis*
Goshawk
Northern, see *Accipiter gentilis*
Grackle
Common, see *Quiscalus quiscula*
Grebe
Eared, see *Podiceps nigricollis*
Greenshank
Common, see *Tringa nebularia*
Grosbeak
Rose-breasted, see *Pheucticus ludovicianus*
Ground-Dove
West Polynesian, see *Gallicolumba stairi*
Grouse
Sage, see *Centrocercus urophasianus*
Gull
California, see *Larus californicus*
Glaucous, see *Larus hyperboreus*
Glaucous-winged, see *Larus glaucescens*
Great Black-backed, see *Larus marinus*
Herring, see *Larus argentatus*
Kelp, see *Larus dominicanus*
Western, *see Larus occidentalis*
Gymnomyza samoensis, 77
Halcyon chloris, 80
H. recurvirostris, 78, 79, 80
Haliaeetus leucocephalus, 150–159
Harrier
Marsh, see *Circus aeruginosus*
Northern, see *Circus cyaneus*
Hawk
Cooper's, see *Accipiter cooperii*
Ferruginous, see *Buteo regalis*
Harris', see *Parabuteo unicinctus*
Red-tailed, see *Buteo jamaicensis*
Rough-legged, see *Buteo lagopus*
Sharp-shinned, see *Accipiter striatus*
Hawk-Eagle
Black, see *Spizaetus tyrannus*
Hemignathus munroi, 17, 19
Himatione sanguinea, 19
Hirundo rustica, 485, 488, 495
Hobby, see *Falco subbuteo*
Honeyeater
Cardinal, see *Myzomela cardinalis*
Wattled, see *Foulehaio carunculata*
Hummingbird
Ruby-throated, see *Archilochus colubris*
Rufous, see *Selasphorus rufus*
Hylocichla mustelina, 422–423, 550
Icterus galbula, 424–425, 551
Iiwi, see *Vestiaria coccinea*
Jaeger
Parasitic, see *Stercorarius parasiticus*
Jay
Brown, see *Cyanocorax morio*
Gray, see *Perisoreus canadensis*
Steller's, see *Cyanocitta stelleri*
Junco hyemalis, 212, 355, 404–411, 424–425, 551
J. phaeonotus, 376
Junco
Dark-eyed, see *Junco hyemalis*
Yellow-eyed, see *Junco phaeonotus*
Kakerori, see *Pomarea dimidiata*
Kestrel
American, see *Falco sparverius*
Kingfisher
Collared, see *Halcyon chloris*
Flat-billed, see *Halcyon recurvirostris*
Killdeer, see *Charadrius vociferous*
Kinglet
Golden-crowned, see *Regulus satrapa*
Ruby-crowned, see *Regulus calendula*
Kites
Swallow-tailed, see *Elanoides forficatus*
Kittiwake
Black-legged, see *Rissa tridactyla*
Knot
Red, see *Calidris canutus rufa*
Lagopus lagopus, 528
Lalage maculosa, 78, 81
Lanius collaris, 458
L. ludovicianus, 458–461
L. minor, 458
L. senator, 458

Lark
Horned, see *Eremophila alpestris*
Larus argentatus, 30-31, 38
L. californicus, 280
L. dominicanus, 338–348
L. glaucescens, 154, 156
L. hyperboreus, 573–586
L. marinus, 30
L. occidentalis, 38
Laterallus jamaicensis, 170–177
L. j. coturniculus, 171, 175
L. j. jamaicensis, 170–171, 175
Leiothrix lutea, 451
Leiothrix
Red-billed, see *Leiothrix lutea*
Limosa lapponica, 59
Longspur
Chestnut-collared, see *Calcarius ornatus*
Loon
Common, see *Gavia immer*
Loxioides bailleui, 17, 19
Loxops coccineus, 17, 19
Luscinia svecica, 241
Magpie
Black-billed, see *Pica pica* and *Pica hudsonia*
Mallard, see *Anas platyrhynchos*
Mao, see *Gymnomyza samoensis*
Martin
House, see *Delichon urbica*
Meadowlark
Eastern, see *Sturnella magna*
Western, see *Sturnella neglecta*
Megapode
Micronesian, see *Megapodius laperouse*
Megapodius laperouse, 267–275
M. l. laperouse, 271, 272
M. l. senex, 267–275
Melanerpes formicivorus, 114, 118, 133, 134
Melospiza georgiana, 424–425, 550
M. lincolnii, 424–425, 550
M. melodia, 424–425, 431, 548, 550
Merlin, see *Falco columbarius*
Micrastur semitorquatus, 44–45
Micrathene whitneyi, 66–71
Mniotilta varia, 125, 424–425, 550
Molothrus ater, 200, 203, 205, 206–207, 295, 551, 554
Monarch
Rarotonga, see *Pomarea dimidiata*
Murrelet
Marbled, see *Brachyramphus marmoratus*
Myiagra albiventris, 72, 78, 81, 83
Myiarchus crinitus, 550
Myna
Common, see *Acridotheres tristis*
Jungle, see *Acridotheres fuscus*
Myzomela cardinalis, 78, 82, 83
Nene, see *Branta sandvicensis*
Numenius arquata, 59
N. phaeopus, 50–59
Oceanites oceanicus, 64
Oceanodroma castro, 62–65
O. leucorhoa, 64
Oporornis philadelphia, 550
Oriole
Baltimore, see *Icterus galbula*
Otis tarda, 504–508
Otus flammeolus, 66, 463
Ovenbird, see *Seiurus aurocapillus*
Owl
Barn, see *Tyto alba*
Barred, see *Strix varia*
Boreal, see *Aegolius funereus*
Eagle, see *Bubo bubo*
Elf, see *Micrathene whitneyi*
Flammulated, see *Otus flammeolus*
Great Horned, see *Bubo virginianus*
Long-eared, see *Asio otus*
Short-eared, see *Asio flammeus*
Spotted, see *Strix occidentalis*
Oxyura jamaicensis, 280
Pachycephala flavifrons, 72, 78, 81, 83
Palila, see *Loxioides bailleui*
Parabuteo unicinctus, 255
Paroreomyza montana, 17
Parrotbill
Maui, see *Pseudonestor xanthophrys*
Parula americana, 382, 550
Parula
Northern, see *Parula americana*
Parus caeruleus, 528
P. rufescens, 563
Passer domesticus, 124–130, 440, 443
Passerculus sandwichensis, 199, 200, 203, 205, 206–207, 208, 383, 550
Passerina cyanea, 291, 297, 299, 301
Perisoreus canadensis, 556–572
Petrel
Hawaiian Dark-rumped, see *Pterodroma phaeopygia*
Petrochelidon fulva, 485–503
P. f. fulva, 485–503
P. f. pallida (= pelodoma), 485–503
P. pyrrhonota, 113–123, 485–486, 488, 493, 494–495
Phaeothlypis fulvicauda, 2–3
Phalacrocorax bransfieldensis, 22–29
P. georgianus, 25
P. nivalis, 25
P. purpurascens, 23, 25, 27
Phalarope
Wilson's, see *Phalaropus tricolor*
Phalaropus tricolor, 280
Phasianus colchicus, 440, 441, 443, 528

Pheasant
Ring-necked, see *Phasianus colchicus*
Pheucticus ludovicianus, 424–425, 551
Phoebe
Eastern, see *Sayornis phoebe*
Pica hudsonia, 463, 466
P. pica, 109, 110, 566–567, 569
Picoides borealis, 305–311
P. villosus, 563
Pigeon
Pacific, see *Ducula pacifica*
Pale-vented, see *Columba pretiosa*
Tooth-billed, see *Didunculus strigirostris*
Pipilo erythrophthalmus, 125, 292, 301
Pipit
Sprague's, see *Anthus spragueii*
Piranga olivacea, 301, 302, 550
Plover
Black-bellied, see *Pluvialis squatarola*
Mountain, see *Charadrius montanus*
Piping, see *Charadrius melodus*
Ringed, see *Charadrius hiaticula*
Snowy, see *Charadrius alexandrinus*
Pluvialis fulva, 537–546
P. squatarola, 50–59, 92
Podiceps nigricollis, 280
Polioptila caerulea, 297, 299
Pomarea dimidiata, 455
Pooecetes gramineus, 200, 203, 205, 206–207, 550, 554
Porphyrio porphyrio, 72, 78, 79, 83
Porzana carolina, 175
Pseudonestor xanthophrys, 12–21
Ptarmigan
Willow, see *Lagopus lagopus*
Pterodroma phaeopygia, 456
Pteroglossus erythropygius, 258–266
P. frantzii, 46
P. sanguineous, 259
P. torquatus, 44–45, 263
Ptilinopus perousii, 78, 79–80
P. porphyraceus, 78, 79, 80
Puffin
Atlantic, see *Fratercula arctica*
Puffinus auricularis newelli, 456
Pycnonotus cafer, 78, 451
P. jocosus, 451
Quail
Japanese, see *Coturnix japonica*
Quiscalus quiscula, 441, 442, 443, 551
Rail
Banded, see *Gallirallus philippensis*
Black, see *Laterallus jamaicensis*
California Black, see *Laterallus jamaicensis coturniculus*
Clapper, see *Rallus longirostris*
Eastern Black, see *Laterallus jamaicensis jamaicensis*
Virginia, see *Rallus limicola*
Yellow, see *Coturnicops noveboracensis*
Rallus limicola, 174, 175
R. longirostris, 175
Ramphastos sulphuratus, 44
Ramphocelus dididiatus, 44–45
Raven
Common, see *Corvus corax*
Redshank, see *Tringa tetanus*
Redstart
American, see *Setophaga ruticilla*
Regulus calendula, 382, 387, 422–423
R. satrapa, 422–423, 550, 554
Rhipidura nebulosa, 78, 81, 83
Rissa tridactyla, 30–42
Robin
American, see *Turdus migratorius*
Clay-colored, see *Turdus grayi*
Sanderling, see *Calidris alba*
Sandpiper
Curlew, see *Calidris ferruginea*
Semipalmated, see *Calidris pusilla*
Western, see *Calidris mauri*
Sapsucker
Red-breasted, see *Sphyrapicus ruber*
Yellow-bellied, see *Sphyrapicus varius*
Sayornis phoebe, 550
Seiurus aurocapillus, 125, 424–425, 433–438, 550
S. noveborecensis, 424–425, 550
Selasphorus rufus, 233
Setophaga ruticilla, 424–425, 550
Shag
Antarctic, see *Phalacrocorax bransfieldensis*
Shearwater
Newell's, see *Puffinus auricularis newelli*
Shrike
Fiscal, see *Lanius collaris*
Lesser Grey, see *Lanius minor*
Loggerhead, see *Lanius ludovicianus*
Woodchat, see *Lanius senator*
Sialia sialis, 126
Sora, see *Porzana carolina*
Sparrow
Baird's, see *Ammodramus bairdii*
Chipping, see *Spizella passerina*
Clay-colored, see *Spizella pallida*
Field, see *Spizella pusilla*
Grasshopper, see *Ammodramus savannarum*
House, see *Passer domesticus*
Le Conte's, see *Ammodramus leconteii*
Lincoln's, see *Melospiza lincolnii*
Savannah, see *Passerculus sandwichensis*
Song, see *Melospiza melodia*

Swamp, see *Melospiza georgiana*
Vesper, see *Pooecetes gramineus*
White-crowned, see *Zonotrichia leucophrys*
White-throated, see *Zonotrichia albicollis*
Sparrowhawk
Eurasian, see *Accipiter nisus*
Levant, see *Accipter brevipes*
Sphyrapicus ruber, 233
S. varius, 550
Spizaetus tyrannus, 46
Spizella pallida, 199, 200, 203, 205, 206–207, 208
S. passerina, 424–425, 431, 550
S. pusilla, 424–425
Starling
European, see *Sturnis vulgaris*
Polynesian, see *Aplonis tabuensis*
Samoan, see *Aplonis atrifusca*
Stercorarius parasiticus, 525, 573–586
Stint
Little, see *Calidris minutus*
Storm-Petrel
Band-rumped, see *Oceanodroma castro*
Harcourt's, see *Oceanodroma castro*
Leach's, see *Oceanodroma leucorhoa*
Madeiran, see *Oceanodroma castro*
Wilson's, see *Oceanites oceanicus*
Strix occidentalis, 66, 466
S. varia, 466
Sturnella magna, 551
S. negelecta, 200, 203, 205, 206–207, 458–459
Sturnus vulgaris, 126, 128, 440, 441, 442, 443, 458
Swallow
Barn, see *Hirundo rustica*
Cave, see *Petrochelidon fulva*
Cliff, see *Petrochelidon pyrrhonota*
Tree, see *Tachycineta bicolor*
Swamphen
Purple, see *Porphyrio porphyrio*
Swift
Chimney, see *Chaetura pelagica*
Swiftlet
White-rumped, see *Collocalia spodiopygia*
Tachycineta bicolor, 495
Taeniopygia guttata, 125, 128, 238, 240, 241, 242
Tanager
Crimson-backed, see *Ramphocelus dididiatus*
Scarlet, see *Piranga olivacea*
Thamnophilus atrinucha, 46–47
Thrasher
Brown, see *Toxostoma rufum*
Thrush
Gray-cheeked, see *Catharus minimus*
Hermit, see *Catharus guttatus*
Island, see *Turdus poliocephalus*
Swainson's, see *Catharus ustulatus*
Wood, see *Hylocichla mustelina*
Thryothorus modestus, 3
T. pleurostictus, 5
T. semibadius, 1–11
T. thoracicus, 3
Tinamou
Great, see *Tinamus major*
Tinamus major, 46
Tit
Blue, see *Parus caeruleus*
Toucan
Keel-billed, see *Ramphastos sulphuratus*
Towhee
Eastern, see *Pipilo erythrophthalmus*
Toxostoma rufum, 422–423, 459, 550
Triller
Polynesian, see *Lalage maculosa*
Tringa nebularia, 59
T. totanus, 94
Troglodytes aedon, 10, 422–423, 550
T. a. musculus, 3
T. troglodytes, 10, 422–423, 550
Trogon violacea, 46
Trogon
Violaceous, see *Trogon violacea*
Turdus grayi, 44–45
T. migratorius, 422–423, 550
T. poliocephalus, 77
Tyto alba, 77, 445
Veery, see *Catharus fuscescens*
Vermivora chrysoptera, 382
V. peregrina, 422–423, 550
V. pinus, 382
V. ruficapilla, 376, 422–423, 550
V. virginiae, 375
Vestiaria coccinea, 17
Vireo flavoviridis, 44–45
V. gilvus, 550
V. griseus, 382
V. olivaceous, 380, 382, 422–423, 431, 550
V. solitarius, 550
Vireo
Blue-headed, see *Vireo solitarius*
Red-eyed, see *Vireo olivaceous*
Warbling, see *Vireo gilvus*
White-eyed, see *Vireo griseus*
Yellow-green, see *Vireo flavoviridis*
Warbler
Bay-breasted, see *Dendroica castanea*
Black-and-white, see *Mniotilta varia*
Black-throated Blue, see *Dendroica caerulescens*
Black-throated Green, see *Dendroica virens*
Blackburnian, see *Dendroica fusca*

Blackpoll, see *Dendroica striata*
Buff-rumped, see *Phaeothlypis fulvicauda*
Canada, see *Wilsonia canadensis*
Cape May, see *Dendroica tigrina*
Chestnut-sided, see *Dendroica pensylvanica*
Galapagos Yellow, see *Dendroica petechia aureola*
Hermit, see *Dendroica occidentalis*
Hooded, see *Wilsonia citrina*
Kirtland's, see *Dendroica kirtlandii*
Magnolia, see *Dendroica magnolia*
Mangrove, see *Dendroica petechia bryanti*
Mourning, see *Oporornis philadelphia*
Nashville, see *Vermivora ruficapilla*
Northern Yellow, see *Dendroica petechia aestiva*
Palm, see *Dendroica palmarum*
Prairie, see *Dendroica discolor*
Tennessee, see *Vermivora peregrina*
Virginia's, see *Vermivora virginiae*
Wilson's, see *Wilsonia pusilla*
Yellow, see *Dendroica petechia*
Yellow-rumped, see *Dendroica coronata*
Waterthrush
Northern, see *Seiurus noveborecensis*
Waxwing
Cedar, see *Bombycilla cedrorum*
Whimbrel, see *Numenius phaeopus*
Whistler
Samoan, see *Pachycephala flavifrons*
White-eye
Japanese, see *Zosterops japonicus*
Wilsonia canadensis, 424–425, 550
W. citrina, 383
W. pusilla, 376, 424–425
Wood-Pewee
Eastern, see *Contopus virens*
Wood-Rail
Gray-necked, see *Aramides cajanea*
Woodpecker
Acorn, see *Melanerpes formicivorus*
Hairy, see *Picoides villosus*
Pileated, see *Dryocopus pileatus*
Red-cockaded, see *Picoides borealis*
Wren
Banded, see *Thryothorus pleurostictus*
House, see *Troglodytes aedon*
Marsh, see *Cistothorus palustris*
Northern House, see *Troglodytes aedon*
Plain, see *Thryothorus modestus*
Riverside, see *Thryothorus semibadius*
Song, see *Cyphorhinus phaeocephalus*
Southern House, see *Troglodytes aedon musculus*
Stripe-breasted, see *Thryothorus thoracicus*
Winter, see *Troglodytes troglodytes*
Xanthocephalus xanthocephalus, 441, 442, 443
Yellowthroat
Common, see *Geothlypis trichas*
Zonotrichia albicollis, 424–425, 551
Z. leucophrys, 424–425
Zosterops japonicus, 451